

## SAFETY DATA SHEET

### SECTION 1: IDENTIFICATION OF PRODUCT AND COMPANY INFORMATION

**PRODUCT NAME:** UNIVERSAL ABSORBENT  
**PRODUCT USE:** SORBENT MEDIA USED TO ABSORB LEAKS AND SPILLS WHICH INCLUDE BUT NOT LIMITED TO OIL, WATER, COOLANTS AND SOLVENTS  
**SPECIFIC PRODUCT TYPE:** ABSORBENT PADS, SOCK, PILLOW, NONWOVEN  
**PRODUCT CODE:** ALL UQ,, UQL, UQDTP, UQEP, UQR, UQSR, UQER, UQESR, UP, UEP, UR, USR, UER, UESR, MM, UB, GS, GPIL, HAZSOC, HAZPIL, UCOT  
**COMPANY INFORMATION:** COMPLETE ENVIRONMENTAL PRODUCTS, INC  
3500 PASADENA FREEWAY  
PASADENA, TX 77503  
**PHONE:** 713-921-7900  
**FAX:** 713-921-9767  
**EMER:** 713-921-7900

### SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION (GHS-US)

THIS PRODUCT IS NOT DANGEROUS IN ITS UNUSED FORM AND CONTAINS NO HAZARDOUS INGREDIENTS.

NOT CLASSIFIED

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

MATERIALS	PERCENT	CAS #
POLYPROPYLENE:	>97%	9003-07-0
SURFACTANT:	< 1%	9004-34-6
GRAY PIGMENT	< 1%	NONE
YELLOW PIGMENT	< 1%	NONE
GREEN PIGMENT	< 1%	NONE
ORANGE PIGMENT	< 1%	NONE

### SECTION 4: FIRST AID MEASURES

NO SPECIAL PROCEDURES REQUIRED

### SECTION 5: FIRE AND EXPLOSION HAZARD DATA

**FLASH POINT:** >315 DEGREES CELCIUS ( ASTM D93)  
**FLAMMABLE LIMITS:** NOT YET DETERMINED  
**EXTINGUISHING MEDIA:** WATER, FOAM, CO2, DRY CHEMICAL  
**SPECIAL FIRE FIGHTING PROCEDURES:** STANDARD PROCEDURE FOR CLASS A FIRES  
**UNUSUAL FIRE AND EXPLOSION HAZARD:** SOME CARBON MONOXIDE UNDER LEAN OXYGEN CONDITIONS

### SECTION 6: ACCIDENTAL RELEASE MEASURES

NO SPECIAL STEPS ARE TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

### SECTION 7: HANDLING AND STORAGE

STORE IN DRY AREA. DO NOT STORE NEAR OPEN FLAME, HIGH HEAT OR STRONG OXIDANTS. POLYPROPYLENE, WHEN HEATED, BECOMES VERY STICKY AND WILL BURN. USE SELF-CONTAINED AIR MASK TO ENTER SMOKY AREA IN THE EVENT OF FIRE.

### SECTION 8: EXPOSUR CONTROLS/PERSONAL PROTECTIVE EQUIPMENT

**EXPOSURE LIMITS: OSHA PEL: N/A**

**ACGIH TLV: N/A**

**RESPIRATORY PROTECTION:** NONE REQUIRED  
**VENTILATION:** NONE REQUIRED  
**PROTECTIVE GLOVES:** NONE REQUIRED ONLY IF MOLTAN  
**EYE PROTECTION:** NONE REQUIRED  
**OTHER PROTECTIVE EQUIPMENT (SPECIFY):** NONE REQUIRED

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**COLOR:** GRAY, YELLOW, GREEN, ORANGE  
**DENSITY:** 0.04 - 0.06 gram/cc  
**ODOR:** CITRUS (IN ORANGE ABSORBENT)  
**SPECIFIC GRAVITY:** 0.88 - 0.92

**FLASH POINT:** NOT APPLICABLE  
**BOILING POINT:** NOT APPLICABLE  
**MELTING POINT:** > 160 DEGREES CELSIUS  
**SOLUBILITY IN WATER:** INSOLUABLE  
**PERCENT VOLATILE:** NOT APPLICABLE  
**EVAPORATION RATE:** NOT APPLICABLE  
**VAPOR PRESSURE ( mm Hg):** NOT APPLICABLE  
**VAPOR DENSITY (Air = 1):** NOT APPLICABLE  
**AUTO IGNITION TEMPERATURE** >675 DEGREES FAHRENHEIT

---

#### SECTION 10: STABILITY AND REACTIVITY DATA

**STABILITY:** STABLE  
**INCOMPATIBILITY (conditions to avoid):** NONE  
**INCOMPATIBILITY (materials to avoid):** NITRIC ACID, PERCHLORIC ACID, SULFURIC ACID OR 98% SULFURIC ACID  
**HAZARDOUS DECOMPOSITON:** WHEN HEATED, IT MAY EMIT TOXIC  
**HAZARDOUS POLYMERAZATION:** WILL NOT OCCURE

---

#### SECTION 11: TOXOCOLOGICAL INFORMATION

**HEALTH HAZARDS (acute or cronic):** NONE  
**SIGNS OR SYSMPTOMS OF EXPOSURE:** NONE  
**MEDICAL CONDITIONS GENERRALLY AGGRAVATED BY EXPOSURE:** NONE  
**DATE ISSUED:** September 14, 2015  
**PREPARED BY:** WORLDWIDE SORBENT PRODUCTS, INC.

---

#### SECTION 12 TO SECTION 15 NOT APPLICABLE

---

#### SECTION 16: OTHER INFORMATION

**SDS REVISION DATE:** September 1, 2017

#### NFPA HEALTH HAZARD


: 0 - EXPOSURE UNDER FIRE CONDITIONS WOULD OFFER NO HAZARD BEYOND THAT OF ORDINARY COMBUSTIBLE MATERIALS.

#### NFPA FIRE HAZARD

: 1 - MUST BE PREHEATED BEFORE IGNITION CAN OCCUR.

#### NFPA REACTIVITY

: 0 - NORMALLY STABLE, EVEN UNDER FIRE EXPOSURE CONDITIONS, AND ARE



THE INFORMATION CONTAINED HEREIN IS ACCURATE TO THE BEST OF MY KNOWLEDGE. MY COMPANY MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE SAFE USE OF THIS MATERIAL IN YOUR PROCESS OR IN COMBINATION WITH OTHER SUBSTANCES.

